



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor

**T O N**

**R I W**







T. N. of N. R. No 1 W. 2nd Mer. Ind. a.

I certify that the foregoing Transcript of the  
field notes of T. N. of N. R. No 1 W. 2nd Mer. in  
Ind. has been compared with the original  
notes in this Office & found to be correct.  
Surveyor General's Office  
Cincinnati, Oct 17/1841 S.

Sur. General,

Township N. 8. South of Range No 1 West of the 2nd Mer. Indiana

South Boundary. April 2<sup>d</sup> 1841.

West. On the South Boundary of Sec. 36 T. 8. N. R. 1 W.

From the cor of T. 8. N. R. 1 E. 1 W.

40.00

Set a 7/8 supst from which,

W Oak 10 in diam. bears S. 37° 30' E. 100 yds. dist. to,

Log 18 " " " N 83° E 19 " "

42.00

To a Brook. 8 yds. wide, lower S. E.

80.00

Set a post from the cor of sec. 35 & 36. From which,

Nick 13 in diam. bears N. 62° E. 3 yds. dist. to,

W Oak 20 " " " N 32° 11' 18 " "

From Hilley Oak Land.

West

On the South Boundary of Sec. 35 T. 8. N. R. 1 W.

39.00

To a Brook. 25 yds. wide, lower S.

40.00

Set a 7/8 supst from which,

Buttment 6 in diam. bears N 50° 11' 10" E. 100 yds. dist. to,

W. Brook 3 " " " S 59° E 14 " "

80.00

Set a post from the cor of sec. 34 & 35. From which,

Brook 5 in diam. bears N 57° 11' 11" E. 100 yds. dist. to,

Nick 11 " " " N 60° 21 " "

Middleling good land. Timber Brook.

West

On the South Boundary of Sec. 34 T. 8. N. R. 1 W.

43.50

To a Brook. 8 yds. wide, lower N. E.

40.00

Set a 7/8 supst from which,

Sugar. 14 in diam. bears N 31° E. 100 yds. dist. to,

Brook 4 " " " S 45° 11' 25 " "

80.00

Set a post from the cor of sec. 33 & 34. From which,

Sugar. 18 in diam. bears N 35° 11' 27" E. 100 yds. dist. to,

Brook 10 " " " S 38° E 5 " "

Same same as last note.

West

On the South Boundary of Sec. 33 T. 8. N. R. 1 W.



40.00 Set a <sup>1/2</sup> support from which,  
Hick 8 in dist. from NW 1/4 1/2 miles dist. to,  
Beck 9 " " S 44 E 26 " "  
37.50 To a Brook 10 miles wide, corner S.  
80.00 Set a post for the corner of sec. 32 & 33 from which,  
Beck 14 in dist. from S 80 E 1/2 miles dist. to,  
Sugar 10 " " S 25 W 20 " "  
Lands from Timber Beck, Walnut Hick

West On the South Boundary of sec. 32 T. 8. N. R. 1 W.  
40.00 Set a <sup>1/2</sup> support from which,  
Hick 13 in dist. from S 54 E 6 miles dist. to,  
Dogwood 4 " " S 27 W 22 " "  
66.50 To a Brook 8 miles wide, corner S.  
80.00 Set a post for the corner of sec. 31 & 32 from which,  
Beck 4 in dist. from S 70 E 12 1/2 miles dist. to,  
Lo. 4 " " West 13 " "  
Pine Beck, corner

West On the South Boundary of sec. 31 T. 8. N. R. 1 W.  
40.00 Set a <sup>1/2</sup> support from which,  
Sugar 6 in dist. from S 52 E 3 miles dist. to,  
Lo. 4 " " S 65 W 16 " "  
56.50 To a Brook 7 1/2 miles wide, corner S. E.  
80.00 Set a <sup>1/2</sup> support for the corner of T. 7. S. R. 1 W. 1/2 N.  
Lands rich and timber Timber Sugar, Ash, Walnut  
Surveyed by  
James Holmes  
Dep. J. Ind.

East Boundary  
North On the East Boundary of sec. 36 T. 8. N. R. 1 W.  
on the 2<sup>nd</sup> Principal Meridian

15.00 To a Brook 4 miles wide, corner S.  
25.00 " " Lo. 4 " " " E.  
40.00 Set a <sup>1/2</sup> support from which,  
Beck 24 in dist. from S 38 E 10 miles dist. to,  
Dogwood 9 " " S 38 W 22 " "  
65.00 To a Brook 4 miles wide, corner S.  
70.00 To " Lo. 40 " " " S. E.  
80.00 Set a post for the corner of sec. 25 & 26 from which,  
Sugar 12 in dist. from S 78 W 25 miles dist. to,  
Dogwood 36 " " S 87 E 25 " "  
Hilly Oak lands.

North On the East Boundary of sec. 25 T. 8. N. R. 1 W.  
1.00 To a Brook 40 miles wide, corner S. W.  
15.00 " " Lo. — " " " E. E.  
35.00 " " Lo. — " " " S. W.  
40.00 Set a <sup>1/2</sup> support in a Brook from which,  
Sugar 16 in dist. from East 15 miles dist. to  
Brook to the West  
75.00 To a Brook 6 miles wide, corner W.  
80.00 Set a post for the corner of sec. 24 & 25 from which,  
Sugar 10 in dist. from S 50 E 16 miles dist. to,  
Dogwood 4 " " S 46 W 23 " "  
Lands bottom, Timber Beck, Sugar & Elm.

North On the East Boundary of sec. 24 T. 8. N. R. 1 W.  
15.00 To a Brook 6 miles wide, corner S. W.  
40.00 Set a <sup>1/2</sup> support from which,  
Oak 24 in dist. from S 82 W 6 miles dist. to,  
Maple 8 " " S 78 E 5 " "  
50.00 To a Brook 6 miles wide, corner S. W.  
50.30 " " Sugar 16 " "  
55.00 To a Brook 6 miles wide, corner S. E.



40.00 Set a post from which,  
Nicky 8 in dist. from NW 12 links dist. to,  
Buck 9 " " S 44 E 26 " "  
37.50 To a Brook 10 links wide, corner S.  
80.00 Set a post for the corner of sec. 32 & 33 from which,  
Buck 14 in dist. from S 80 E 7 links dist. to,  
Sugar 10 " " S 45 W 20 " "  
Sunde post Timber Buck, Walnut Nicky

West On the South Boundary of sec. 32 T. 8 N. R. 1 W.  
10.00 Set a post from which,  
Nicky 13 in dist. from S 54 E 6 links dist. to,  
Dogwood 4 " " S 27 W 22 " "  
66.50 To a Brook 8 links wide, corner S.  
80.00 Set a post for the corner of 31 & 32 from which,  
Buck 4 in dist. from S 70 E 12 links dist. to,  
Do. 4 " " West 13 " "  
Pine Buck, Sunde,

West On the South Boundary of sec. 31 T. 8 N. R. 1 W.  
10.00 Set a post from which,  
Sugar 6 in dist. from S 53 E 3 links dist. to,  
Do. 4 " " S 65 W 16 " "  
56.50 To a Brook 75 links wide, corner S. E.  
80.00 Set a temporary post for the corner of T. 7 & 8 N. R. 1 & 2 W.  
Sunde rich and low Timber Sugar, Ash, Walnut  
Surveyed by  
James Holmes  
Dep. J. Sur.

East Boundary  
North On the East Boundary of sec. 36 T. 8 N. R. 1 W.  
on the 2<sup>nd</sup> Principal Meridian

15.00 To a Brook 4 links wide, corner E.  
25.00 " Do. 4 " " " E.  
40.00 Set a post from which,  
Buck 24 in dist. from N 38 E 10 links dist. to,  
Dogwood 9 " " S 38 W 25 " "  
65.00 To a Brook 4 links wide, corner E.  
70.00 To Do. 40 " " " S. E.  
80.00 Set a post for the corner of 25 & 36 from which,  
Sugar 12 in dist. from S 78 W 25 links dist. to,  
Sycamore 36 " " S 87 E 25 " "  
Hilly Oak Sunde.

North On the East Boundary of sec. 25 T. 8 N. R. 1 W.  
1.00 To a Brook 40 links wide, corner S. W.  
15.00 " Do. — " " " S. E.  
35.00 " Do. — " " " S. W.  
40.00 Set a post in a Brook from which,  
Sugar 16 in dist. from East 15 links dist. to  
Brook to the West  
75.00 To a Brook 6 links wide, corner W.  
80.00 Set a post for the corner of 24 & 25 from which,  
Sugar 10 in dist. from N 50 E 16 links dist. to,  
Dogwood 4 " " S 76 W 23 " "  
Sunde bottom, Timber Buck, Sugar & Elm.

North On the East Boundary of sec. 24 T. 8 N. R. 1 W.  
15.00 To a Brook 6 links wide, corner S. W.  
40.00 Set a post from which,  
Oak 24 in dist. from S 82 W 6 links dist. to,  
Maple 8 " " S 78 E 5 " "  
50.00 To a Brook 6 links wide, corner S. W.  
50.30 " Sugar 16 " "  
55.00 To a Brook — links wide, corner S. E.







Beck 11 in dirt beam. N 8 E. 17 mts dist  
Sands and timber same.

West On the South Boundary of sec. 34. T. 9 N. R. 17 W.  
40.00 Set a post from whike,  
Sugar 14 in dirt beam. N 66 W. 21 mts dist, to,  
Loc. 5 " " " " N 40 E. 22 " "  
71.00 To a Brook 12 mts mid, course N W  
80.00 Set a post further across 33 & 34 from whike,  
Beck 5 in dirt beam. N 39 W. 25 mts dist, to,  
Loc. 16 " " " " N 48 E. 35 " "  
Sands rich and. herb. Timber Sugar Ash, Buckh,

West On the South Boundary of sec. 33. T. 9 N. R. 17 W.  
40.00 Set a post from whike,  
Sugar 14 in dirt beam. N 69 E. 10 mts dist, to,  
Loc. 10 " " " " N 55 W. 16 " "  
54.00 To a Brook. 50 mts mid, course S.  
73.50 " " Loc. 25 " " " " S. E.  
80.00 Set a post further across 32 & 33 from whike,  
Beck 20 in dirt beam. N 22 E. 12 mts dist, to,  
Beck 36 " " " " N 37 W. 36 " "  
Sands R. rate same. Last R. rate same. Timber  
Sugar Ash Walnut. &c.

West On the South Boundary of sec. 32. T. 9 N. R. 17 W.  
40.00 Set a post from whike,  
Sugar 5 in dirt beam. N 60 E. 10 mts dist, to,  
Ash 14 " " " " N 84 W. 18 " "  
33.50 To a Brook 20 mts mid, course S. E.  
80.00 Set a post further across 31 & 32 from whike,  
Beck 11 in dirt beam. N 72 W. 20 mts dist, to,  
Beck 4 " " " " N 60 E. 19 " "

Sand R. rate. Timber Sugar Ash & Walnut.

West On the South Boundary of sec. 31. T. 9 N. R. 17 W.  
40.00 Set a post from whike,  
Oak 16 in dirt beam. N 70 E. 17 mts dist, to,  
Log road 3 " " " " N 64 W. 15 " "  
80.00 Moved the Timber post 200 into South. to E. of S.  
8 & 9. N. R. 17 W. from whike,  
Beck 13 in dirt beam. N 26 E. 18 mts dist, to,  
Oak 16 " " " " N 66 W. 32 " "  
Good Oak lands herb and rich.

## West Boundary.

B 130

North On the East Boundary of sec. 36. T. 8 N. R. 2 W.  
15.00 To a Brook. 50 mts mid, course S. E.  
40.00 Set a post from whike,  
Beck 13 in dirt beam. N 60 E. 17 mts dist, to,  
Loc. 15 " " " " N 40 W. 15 " "  
55.50 To an Ash. 16 in dirt in the beam.  
80.00 Set a post further across 25 & 36 from whike,  
Log road 14 in dirt beam. N 60 E. 10 mts dist, to,  
Beck. 18 " " " " N 15 W. 27 " "  
Sands R. rate in R. rate same. 2<sup>nd</sup> R. rate. Rich &  
herb. Timber Sugar & Walnut. Ash. &c.

North On the East Boundary of sec. 25. T. 8 N. R. 2 W.  
16.50 To a Brook 8 mts end, course E.  
28.00 To a Brook. 40 in dirt. stands with time.  
40.00 Set a post from whike,  
Sugar 13 in dirt beam. N 74 E. 20 mts dist, to,  
Beck 8 " " " " N 65 W. 26 " "  
44.00 To a Brook 60 mts mid, course S. E.  
80.00 Set a post further across 24 & 25 from whike,



Sugar 13 in dia: here. N 55 E 11 lmb, dist: 10,  
 Ho. 14 " " " N 43 W 24 " "  
 Sand & timber same as last, mts.

North On the East Boundary of sec. 24 T 8. N. R. 2 W.  
 18.00 To a W. Oak 30 in dia: in the tree.  
 40.00 Set a 7/8 support from which,  
 Sugar 16 in dia: here. S 78 W 14 lmb, dist: 10,  
 Buck 3 " " " N 10 E 13 " "  
 80.00 Set a post for the corner Sec. 13 & 24 from which,  
 Sugar 13 in dia: here. S 66 E 14 lmb, dist: 10,  
 Ho 6 " " " N 66 W 24 " "  
 Lands of middling quality Timber Buck, Sugar,  
 Poplar, &c. &c.

North On the East Boundary of sec. 13. T 8. N. R. 2 W.  
 40.00 Set a 7/8 support from which,  
 W Oak 16 in dia: here. S 50 W 37 lmb, dist: 10,  
 Dogwood 6 " " " N 47 E 13 " "  
 69.00 To a Buck 8 lmb, mds Leonard Co.  
 78.00 " " Sugar 13 in dia: in the tree  
 80.00 Set a post for the corner Sec. 12 & 13. from which,  
 Oak 6 in dia: here. N 30 W 11 lmb, dist: 10,  
 W Oak 5 " " " S 66 E 18 " "  
 Land 1/2 mts same; 2nd 7/8 2nd rate Timber Oak, Poplar, &c.

North On the East Boundary of sec. 12. T 8. N. R. 2 W.  
 23.50 To a Buck 14 in dia: stands in the tree.  
 35.00 To a Spring Run. 20 lmb, mds Leonard Co.  
 Rattle snake den at the Head  
 40.00 Set a 7/8 support from which,  
 Poplar 16 in dia: here. N 65 E 8 lmb, dist: 10,  
 Poplar 36 " " " N 54 W 24 " "

80.00 Set a post for the corner Sec. 1 & 12 from which,  
 Dogwood 4 in dia: here. S 60 W 7 lmb, dist: 10,  
 R. Oak 30 " " " N 40 E 5 " "  
 Solid Oak lands.

North On the East Boundary of sec. 1. T 8. N. R. 2 W.  
 28.50 To a W Oak 36 in dia: in the tree.  
 40.00 Set a 7/8 support from which,  
 W Oak 10 in dia: here. S 56 W 11 lmb, dist: 10,  
 Poplar 40 " " " N 31 E 7 " "  
 57.50 To an R Oak 20 in dia: in the tree.  
 81.00 Set a timber post for the corner T 8 & 9 N. R. 1 & 2 W.  
 April 3. 1811 Surveyed by  
 James Holmes D.S.

## Subdivisions

North Return Sec 35 & 36. T 8. N. R. 1 W.  
 40.00 Set a 7/8 support from which,  
 Buck 15 in dia: here. N 30 E 28 lmb, dist: 10,  
 Ho 15 " " " N 30 W 32 " "  
 80.00 Set a post for the corner Sec. 25, 26, 35 & 36. from which,  
 Maple 10 in dia: here. N 66 W 3 lmb, dist: 10,  
 Buck 3 " " " S 52 W 7 " "  
 Lands hilly, thin soil. Timber Oak, Hickory, &c.

East On a Random line between Sec 25 & 36. T 8. N. R. 1 W.  
 40.00 Set a timber 7/8 support.  
 79.00 To a Buck 25 lmb, mds Leonard Co.  
 80.56 Enter at the East Boundary 10 lmb, North of the post,  
 cor of sec. 25 & 36. Land the same.

West On the line between Sec. 25 & 36. T 8. N. R. 1 W.  
 40.03 Set the timber 7/8 support at the corner in the tree.



from which, Beak 12 in dir. here. A59 E. 12 the dist  
 endow 10.5 " " " A4 E. 12 " "  
 80.06 To the cor of eas 25, 26, 35 & 36.

North Between Sur 25 & 26. T. S. A. R. 17.  
 40.00 Set a 7/8 suppost from which,  
 Beak 15 in dir. here. A56 N. 13 link, dist. 22,  
 Sassafras " " " A18 E. 26 " "  
 55.00 To a Berok 12 links mid, corner S.E.  
 80.00 Set a post for the cor of eas 23, 24, 25 & 26. From which,  
 Auk 10 in dir. here. A80 E. 16 link, dist. 20,  
 Beak 5 " " " A31 E. 11 " "  
 Same the same.

East On a Random line between Sur 24 & 25 T. S. A. R. 17.  
 40.00 Set a temp? 7/8 suppost.  
 65.50 To a Berok 15 links mid, corner S.W.  
 80.16 Enter cut the East Boundary 26 link, North of the  
 post cor of eas 24 & 25. Same hilly, thin soil. Timber  
 Oak & Hick.

West On the true line between Sur 24 & 25 T. S. A. R. 17.  
 40.08 Set the temp? 7/8 suppost. at the av. dist. on the true line  
 from which, Beak 6 in dir. here. A53 E. 25 the dist.  
 endow W Oak 15 " " " A83 E. 14 " "  
 80.16 To the post cor of eas 23, 24 & 25 & 26.

North Between Sur 23 & 24 T. S. A. R. 17.  
 40.00 Set a 7/8 suppost from which,  
 Sugar 12 in dir. here. A15 E. 22 link, dist. 20,  
 Do. 5 " " " A19 N. 22 " "  
 40.50 To a Spring - the mid, corner S.E.  
 45.00 " " Do. - " " " S.E.

54.00 To a Spring - links mid, corner S.E.  
 80.00 Set a post for the cor of eas 13, 14, 23 & 24 from which,  
 Beak 8 in dir. here. A69 E. 15 link, dist. 20,  
 W Oak 10 " " " A99 N. 22 " "  
 Same rolling under rich Timber Beak, Sugar, Poplar,  
 Oak & Ash.

East On a Random line between Sur 13 & 24 T. S. A. R. 17.  
 32.00 To a Berok 12 links mid, corner S.E.  
 40.00 Set a temp? 7/8 suppost.  
 80.00 Enter cut the East Boundary at the cor of eas 13 & 24.  
 Same the same.

West On the true line between Sur 13 & 24 T. S. A. R. 17.  
 40.00 Set a post for the cor. of 1/4 Sec. at the av. dist. on the  
 true line from which a 7/8 Sec.  
 W Oak 20 in diam. bears S. 25. E. 30 link, dist. 20  
 " Do. 8 " " " A. 15. E. 16. " "  
 80.00 To the post cor. of Sec. 13, 14, 23 & 24.

North Between Sur 13 & 14 T. S. A. R. 17.  
 40.00 Set a 7/8 suppost from which,  
 Beak 8 in dir. here. A70 E. 24 link, dist. 20  
 Do. 10 " " " A58 N. 22 " "  
 80.00 Set a post for the cor of eas 11, 12, 13 & 14 from which,  
 Beak 18 in dir. here. A23 N. 19 link, dist. 20,  
 W Oak 15 " " " A50 E. 18 " "  
 Same the same.

East On a Random line between Sur 12 & 13 T. S. A. R. 17.  
 40.00 Set a temp? 7/8 suppost.  
 79.57 Enter cut the East Boundary 40 link, South of the post  
 cor of eas 12 & 13. Same the same.











L. N. 8. N. R. N. 179<sup>th</sup> Mm Ind.

Beck. 6 in dist. from. N. E. 11 links dist. to  
No. 6 a a a N. 61 N. 11 a a  
Sunder the same.

East On a random line between Sec. 24<sup>th</sup> 18<sup>th</sup> N. 17<sup>th</sup> W.  
300 To a Rock 18 links wide, corner 2<sup>nd</sup> W.  
12.00 Do. 10 a a a 1<sup>st</sup> W.  
40.00 Set a temporary support.  
80.10 Set out the N. 15 line at the post on the 2<sup>nd</sup> 27<sup>th</sup> 30<sup>th</sup> 33<sup>rd</sup>  
cor of sec. 1, 2, 11 & 12. Sunder the same.

West On the line line between Sec. 24<sup>th</sup> 18<sup>th</sup> N. 17<sup>th</sup> W.  
40.00 Set the temporary support at the arch in the line  
from which, Beck. 12 in dist. from. N. 45 W. 6 links dist.  
and do 10. 10 a a a N. 9 W. 13 a a  
80.10 To the post on of sec. 2, 3, 10 & 11.

North Return Sec. 24<sup>th</sup> 18<sup>th</sup> N. 17<sup>th</sup> W.  
40.00 Set a temporary support from which,  
Beck. 18 in dist. from. N. 18 W. 9 links dist. to,  
Do. 8 a a a N. 29 E. 15 a a  
13.50 Set out the N. 16 line, 309 links East of the post on  
of sec. 34<sup>th</sup> 35<sup>th</sup> C. 9 N. 17<sup>th</sup> W. and set apart for the cor.  
243 from which,  
Sugar. 12 in dist. from. N. 60 E. 1<sup>st</sup> of the dist. to,  
Do. 10 a a a N. 80 W. 27 a a  
Sunder the same.

North Return Sec. 33<sup>rd</sup> 34<sup>th</sup> 18<sup>th</sup> N. 17<sup>th</sup> W.  
40.00 Set a temporary support from which,  
Kick 12 in dist. from. N. 34 W. 20 links dist. to,  
Poplar. 4 a a a N. 80 W. 9 a a  
80.00 Set apart for the cor of sec. 27, 28, 33 & 34 from which,

L. N. 8. N. R. N. 179<sup>th</sup> Mm Ind.

Beck. 8 in dist. from. N. 31 E. 26 links dist. to,  
Do. 8 a a a N. 70 W. 14 a a  
Sunder the same, rolling timber, Walnut, Sugar, & Black  
Oak & Hickory

East On a random line between Sec. 27<sup>th</sup> 13<sup>th</sup> 18<sup>th</sup> N. 17<sup>th</sup> W.  
40.00 Set a temporary support.  
80.00 Set out the N. 15 line at the post on the 26<sup>th</sup> 27<sup>th</sup> 30<sup>th</sup> 33<sup>rd</sup>  
Sunder the same, &c.

West On the line line between Sec. 27<sup>th</sup> 13<sup>th</sup> 18<sup>th</sup> N. 17<sup>th</sup> W.  
40.00 Set a temporary support for the 1<sup>st</sup> 2<sup>nd</sup> 3<sup>rd</sup> 4<sup>th</sup> on at the arch in  
the line from which,  
Beck. 29 in dist. from. N. 8 E. 28 links dist. to,  
Sugar. 8 a a a N. 48 W. 24 a a  
80.00 To the post on of sec. 27, 28, 33 & 34.

North Between Sec. 27<sup>th</sup> 13<sup>th</sup> 18<sup>th</sup> N. 17<sup>th</sup> W.  
40.00 To a spring corner W.  
40.00 Set a temporary support from which,  
Sugar. 5 in dist. from. N. 72 W. 18 links dist. to,  
Beck. 4 a a a N. 36 E. 22 a a  
80.00 Set apart for the cor of sec. 21, 22, 27, 28, from which,  
Beck. 5 in dist. from. N. 16 W. 6 links dist. to,  
Do. 10 a a a N. 27 E. 26 a a  
Sunder the same.

East On a random line between Sec. 22<sup>nd</sup> 23<sup>rd</sup> 18<sup>th</sup> N. 17<sup>th</sup> W.  
40.00 Set a temporary support.  
80.10 Set out the N. 15 line 10 links South of 22<sup>nd</sup> 23<sup>rd</sup> 26<sup>th</sup> 27<sup>th</sup>. Sunder the same.

West On the line line between Sec. 22<sup>nd</sup> 23<sup>rd</sup> 18<sup>th</sup> N. 17<sup>th</sup> W.  
40.00 Set the temporary support at the arch in the line from



which, N Oak 30 in diam here. N 35 E 6 links dist.  
Sugar Ash 16 " " " N 30 E 30 " "  
To the post on of ear 21, 22, 23 of 1728

North Return Jul 21 1722 T. S. N. 177.

30.00 To a Brook 10 links wide, Come S. N.

40.00 Set a 7th support from which,  
Sugar 12 in diam here. N 27 N 13 links dist. S. N.,  
Buckeye 10 " " N 5 N 25 " "

61.00 To a Brook 6 links wide, Come S.

80.00 Set a post for the corner of ear 15, 16, 21 & 22 from which,  
Beck 20 in diam here. N 15 E 5 links dist. S. N.,  
Do. 20 " " " S 81 E 30 " "

Land a little rolling track. Timber poplar, ash, S.  
Cane. S.

East On a Kanam line between Jul 15 1722 T. S. N. 177.

7.00 To a Brook 6 links wide, Come S.

16.00 " " " " " " " " " "

40.00 Set a timber post for support.

80.00 Intersect the 1st & 2nd line 10 links South of the post corner  
of ear 11, 13, 22 & 23. Land a timber S.

West On the line line between Jul 15 1722 T. S. N. 177.

40.00 Set the timber post for support at the ar. dist. on the line line  
from which Sugar 9 in diam here. S 16 N 10 links dist.

Land a Do. 8 " " " N 15 E 7 " "  
To the post corner of ear 15, 16, 21 & 22.

North Return Jul 15 1726 T. S. N. 177.

40.00 Set a 7th support from which,

Beck 16 in diam here. S 27 N 17 links dist. S. N.,  
Do. 10 " " " N 60 E 30 " "

63.00 To a Brook 12 in diam in the line.

80.00 Set a post for the corner of ear 9, 10, 15 & 16 from which,  
Beck 8 in diam here. N 60 N 15 links dist. S. N.,  
Do. 18 " " " N 57 E 17 " "

Land the same.

East On a Kanam line between Jul 10 & 15 T. S. N. 177.

35.00 To a Brook 7 links wide, Come S. N.

40.00 Set a timber post for support.

41.50 To a Brook 10 links wide, Come S.

79.76 Intersect the N 13 line 11 links North of the post corner of  
ear 10, 11, 14 & 15. Land the same.

West On the line line between Jul 10 & 15 T. S. N. 177.

39.88 Set the timber post for support at the ar. dist. on the line line.

from which, Buckeye 10 in diam here. S 17 N 15 links dist.  
and a Sugar 4 " " " N 31 E 15 " "

79.76 To the post corner of ear 9, 10, 15 & 16.

North Return Jul 9 1710 T. S. N. 177.

40.00 Set a 7th support from which,

Beck 8 in diam here. N 48 N 15 links dist. S. N.,  
Sugar 8 " " " N 9 E 15 " "

34.50 To a Brook 18 in diam in the line.

80.00 Set a post corner of ear 3, 20 & 170 from which,  
Beck 8 in diam here. N 52 E 7 links dist. S. N.,  
Do. 5 " " " S 27 N 21 " "

Land a timber the same.

East On a Kanam line between Jul 3 & 10 T. S. N. 177.

40.00 Set a timber post for support.

58.00 To a Brook 10 links wide, Come S.

79.66 Intersect the N 13 line 22 links North of the post corner of



which, 7 Oak 30 in diam here. N 35 E 6 miles dist  
Sugar Ash 15 " " " " N 30 E 30 " "  
To the first cut of saw 21, 22, 23, 24, 25

North Return Saw 21 22 23 J. S. N. R. 177.

30.00 To a Brook 15 miles wide, comes S. W.

40.00 Set a 7<sup>th</sup> support from which,  
Sugar 12 in diam here. N 62 W 13 miles dist, S. W.,  
Buckeye 10 " " " " N 57 W 25 " "

61.00 To a Brook 6 miles wide, comes S.

80.00 Set apart for the cut of saw 15, 16, 21 & 22 from which,  
Beck 20 in diam here. N 15 E 5 miles dist, S. W.,  
No. 20 " " " " N 81 E 30 " "

Send a little rolling mill. Timber poplar, ash, &  
Gum. &c.

East On a Kanam line between Saw 15 & 22 J. S. N. R. 177.

7.00 To a Brook 6 miles wide, comes S.

16.00 " " No. 30 " " " " S.

40.00 Set a timber 7<sup>th</sup> support.

80.00 Intervent the N 15 line 10 miles South of the first cut  
of saw 14, 15, 22 & 23. Send timber same.

West On the true line between Saw 15 & 22 J. S. N. R. 177.

40.00 Set the timber 7<sup>th</sup> support at the ar. dist on the true line  
from which Sugar 9 in diam here. S 76 W 10 miles dist,  
and a No. 8 " " " " N 15 E 7 " "

80.00 To the first cut of saw 15, 16, 21 & 22.

North Return Saw 15 & 22 J. S. N. R. 177.

40.00 Set a 7<sup>th</sup> support from which,

Beck 16 in diam here. S 27 W 17 miles dist, S. W.,

No. 10 " " " " N 60 E 30 " "

63.00 To a Brook 12 in diam on the true line.

80.00 Set apart for the cut of saw 9, 10, 15 & 16 from which,  
Beck 8 in diam here. N 60 W 15 miles dist, S. W.,  
No. 18 " " " " N 57 E 17 " "

Send the same.

East On a Kanam line between Saw 10 & 15 J. S. N. R. 177.

35.00 To a Brook 7 miles wide, comes S. W.

40.00 Set a timber 7<sup>th</sup> support.

41.50 To a Brook 10 miles wide, comes S.

79.76 Intervent the N 15 line 11 miles North of the first cut of  
Saw 10, 11, 14 & 15. Send the same.

West On the true line between Saw 10 & 15 J. S. N. R. 177.

39.88 Set the timber 7<sup>th</sup> support at the ar. dist on the true line.  
from which, Buckeye 10 in diam here. S 77 W 15 miles dist,  
and a Sugar 4 " " " " N 31 E 15 " "

79.76 To the first cut of saw 9, 10, 15 & 16.

North Return Saw 9 & 10 J. S. N. R. 177.

40.00 Set a 7<sup>th</sup> support from which,  
Beck 8 in diam here. N 48 W 15 miles dist, S. W.,  
Sugar 8 " " " " N 9 E 15 " "

54.50 To a Brook 18 in diam on the true line.

80.00 Set apart cut of saw 3, 10, 9 & 10 from which,  
Beck 8 in diam here. N 52 E 7 miles dist, S. W.,  
No. 5 " " " " S 20 W 21 " "

Send 8 timber the same.

East On a Kanam line between Saw 3 & 10 J. S. N. R. 177.

45.00 Set a timber 7<sup>th</sup> support.

58.00 To a Brook 10 miles wide, comes S.

79.66 Intervent the N 15 line 22 miles North of the first cut of



T. N. S. R. N. 177<sup>th</sup> D<sup>ist</sup> M<sup>rs</sup>. Ind<sup>ist</sup>

Set 2, 3, 10 AM. Same the same.

West  
39.83 On the line between Set 3410. T. S. R. 177.  
Set the trap for 2 up at the ar. dist. on the line from which, Buck 4 in air beam. S46 E 37 the dist  
under 10. 6 a a a 1877 32 a a  
19.66 To the post end of set 3. 4. 9 170.

North  
40.00 Return Set 3410. T. S. R. 177.  
Set a trap for 2 up at the ar. dist. on the line from which, Poplar 6 in air beam. S5 E 7 the dist, set, 10,  
Buck 4 a a a Off E 11 a a  
48.50 To a Wash 30 in air in the line.  
44.50 Set a trap for 2 up at the ar. dist. on the line from which, 3411 from which,  
Buck 30 in air beam. N20 W 28 the dist, set, 10,  
10. 15 a a a N30 E 26 a a  
Same the same.

North  
17.50 Return Set 3413. T. S. R. 177.  
17.50 To a Spring Co. West.  
40.00 Set a trap for 2 up at the ar. dist. on the line from which, 3414 from which,  
Buck 30 in air beam. N20 W 28 the dist, set, 10,  
10. 15 a a a N30 E 26 a a  
Same the same.

East  
20.00 On a R. and M. line between Set 28433. T. S. R. 177.  
40.00 To a Brook 4 the mid, corner N.  
40.00 Set a trap for 2 up at the ar. dist. on the line from which, 3415 from which,  
Buck 30 in air beam. N20 W 28 the dist, set, 10,  
10. 15 a a a N30 E 26 a a  
Same the same.

T. N. S. R. N. 177<sup>th</sup> D<sup>ist</sup> M<sup>rs</sup>. Ind<sup>ist</sup>

80.00 Set a trap for 2 up at the ar. dist. on the line from which, 3416 from which,  
Buck 30 in air beam. N20 W 28 the dist, set, 10,  
10. 15 a a a N30 E 26 a a  
Same the same.

West  
40.00 On the line between Set 28433. T. S. R. 177.  
Set the trap for 2 up at the ar. dist. on the line from which, 3417 from which,  
Buck 30 in air beam. N20 W 28 the dist, set, 10,  
10. 15 a a a N30 E 26 a a  
Same the same.

North  
40.00 Return Set 28429. T. S. R. 177.  
4.50 To a Brook 12 the mid, corner S. W.  
40.00 Set a trap for 2 up at the ar. dist. on the line from which, 3418 from which,  
Buck 30 in air beam. N20 W 28 the dist, set, 10,  
10. 15 a a a N30 E 26 a a  
Same the same.

East  
40.00 On a R. and M. line between Set 21428. T. S. R. 177.  
40.00 Set a trap for 2 up at the ar. dist. on the line from which, 3419 from which,  
Buck 30 in air beam. N20 W 28 the dist, set, 10,  
10. 15 a a a N30 E 26 a a  
Same the same.

West  
39.95 Return Set 21428. T. S. R. 177. Same line  
Set the trap for 2 up at the ar. dist. on the line from which, 3420 from which,  
Buck 30 in air beam. N20 W 28 the dist, set, 10,  
10. 15 a a a N30 E 26 a a  
Same the same.



## T. N. S. R. N. 177 D. M. Ind.

of cut 2, 3, 10 & 11. Same as the same.

1111 On the line between Sec 3 & 10 T. 8. N. R. 17. W.  
39.83 Set the timber post at the ar. dist. on the line from which, Buck 4 in air beam. 116 E. 32 the dist.  
under 10. 6 a a 187 32 a  
19.66 To the post on of cut 3, 4, 9 & 10.

North Return Sec 3 & 10 T. 8. N. R. 17. W.  
40.00 Set a 7/8 support from which,  
Poplar 6 in air beam. 15 E. 7 timber dist. 70,  
Buck 11 a a Off E. 11 a  
48.50 To a 11 Oak 30 in air in the line.  
14.50 Set out the N. B. end of 437 timber East of the post  
on of cut 33 & 34 T. 9. N. R. 17. W. and set apart for  
a a 3 & 11 from which,  
Buck 30 in air beam. 120 N. 28 timber dist. 70,  
10. 15 a a 130 E. 26 a  
Same as the same.

North Return Sec 32 & 33 T. 8. N. R. 17. W.  
17.50 To a Spring Co. Mt.  
40.00 10. 12 in air. 110 N. 40 for the cut of the line.  
57.50 To a Spring Rock 6 timber with corner N.  
80.00 Set apart for the cut of cut 28, 29, 32 & 33 from which,  
Sugar 12 in air beam. 158 E. 32 timber dist. 70,  
10. 18 a a 155 N. 11 a  
Same as the same.

East On a line between Sec 28 & 33 T. 8. N. R. 17. W.  
20.00 To a Brook 4 timber with corner N.  
40.00 Set a 7/8 support post.  
10.50 To a Brook 10 timber with corner N.

## T. N. S. R. N. 177 D. M. Ind.

80.00 Set out the N. B. line 28 timber South of the post on of  
Sec 27 28 33 & 34. Same as the same.

West On the line between Sec 28 & 33 T. 8. N. R. 17. W.  
40.00 Set the timber post at the ar. dist. on the line from which,  
Oak 8 in air beam. 182 E. 22 the dist.  
under 10. 6 a a 153 E. 12 a  
80.00 To the post on of cut 28, 29, 32 & 33.

North Return Sec 28 & 29 T. 8. N. R. 17. W.  
17.50 To a Brook 12 timber with corner S. W.  
40.00 Set a 7/8 support from which,  
Buck 11 in air beam. 110 N. 3 timber dist. 70,  
10. 8 a a 139 E. 23 a  
50.00 To a Brook 25 timber with corner S. W.  
54.00 10. 25 a a 26.  
80.00 Set apart for the cut of cut 20, 21, 28 & 29 from which,  
Walnut 15 in air beam. 109 E. 6 the dist. 70,  
Sugar 9 a a 150 N. 11 a  
Same as the same.

East On a line between Sec 21 & 28 T. 8. N. R. 17. W.  
40.00 Set a timber post.  
49.50 To a Brook 25 timber with corner S. W.  
14.50 10. 10 a a N. W.  
19.90 Set out the N. B. line 10 timber South of the post on of  
Sec 21, 22, 27 & 28. Same as the same.

West Return Sec 21 & 28 T. 8. N. R. 17. W. line  
39.95 Set the timber post at the ar. dist. on the line from which,  
Oak 30 in air beam. 120 E. 10 the dist.  
under 10. 6 a a 141 E. 25 a  
19.90 To the cut of cut 20, 21, 28 & 29.



North	Return Dec 20 & 21 T. 8. N. R. 1 W.
40.00	Set a 70 support from which, Beak 8 in dist. here. N 87 W. 11 links dist. to, Do. 5 " " " " N 6 E 17 " "
80.00	Set a post for the con of sec. 16 & 20 21 from which, Sugar 20 in dist. here. N 15 E. 57 1/2 the dist. to, Do. 18 " " " " N 41 W. 21 " " Sound the same.
East	On a Kanam line between Dec 16 & 21 T. 8. N. R. 1 W.
40.00	Set a trip. 70 support.
80.00	Intro cut the N 8 line 12 links South of the post con of Dec 15 16, 21 & 22 Sound the same.
West	On the same line between Dec 16 & 21 T. 8. N. R. 1 W.
40.00	Set a trip. 70 support at the ar. arch on the same line from which, Beak 5 in dist. here. N 31 E. 7 1/2 the dist. made a Ark. 5 " " " " N 60 W. 11 " "
80.00	To the post con of sec. 16 & 20 & 21.
North	Return Dec. 16 & 17 T. 8. N. R. 1 W.
10.00	To a Brook 15 links mid, lower S. W.
40.00	Set a 70 support from which, Beak 36 in dist. here. N 50 W. 23 links dist. to, Sugar 15 " " " " N 30 E. 6 " "
52.00	To a Brook 10 links mid, lower E.
80.00	Set a post for the con of sec. 8, 9, 16 & 17 from which, Beak 10 in dist. here. N 63 E. 28 the dist. to, Sugar 15 " " " " N 49 W. 9 " " Sound the same.
East	On a Kanam line between Dec 9 & 16 T. 8. N. R. 1 W.
12.00	To a Brook 10 links mid, lower S. W.

32.50	To a Brook 8 links mid, lower S. W.
40.00	Set a trip. 70 support.
80.00	Intro cut the N 8 line at the post con of sec. 9, 10, 15 & 16. Sound the same.
West	On the same line between Dec 9 & 16 T. 8. N. R. 1 W.
40.00	Set the trip. 70 support at the ar. arch on the same line. from which, Beak 15 in dist. here. N 57 W. 7 1/2 the dist. made a Sugar 12 " " " " N 23 W. 26 " "
80.00	To the post con of sec. 8, 9, 16 & 17.
North	Return Dec. 8 & 9 T. 8. N. R. 1 W.
40.00	Set a 70 support from which, Sugar 18 in dist. here. N 75 E. 11 the dist. to, Do. 15 " " " " N 77 W. 47 " "
64.50	To a Sugar 15 in dist. in the line.
66.00	To a Brook 11 links mid, lower E.
80.00	Set a post for the con of sec. 4, 5, 8 & 9 from which, Sugar 30 in dist. here. N 47 W. 27 links dist. to, Do. 15 " " " " N 58 W. 31 " " Sound the same.
East	On a Kanam line between Dec 4 & 9 T. 8. N. R. 1 W.
2.50	To a Brook 10 links mid, lower S.
40.00	Set a trip. 70 support.
79.50	Intro cut the N 8 line 12 links — of a cor for Dec. 3, 4, 9 & 10 Sound the same.
West	On the same line between Dec 4 & 9 T. 8. N. R. 1 W.
39.50	Set the trip. 70 support at the ar. arch on the same line from which, Beak 3 in dist. here. N 55 W. 8 the dist. made a Do. 30 " " " " N 42 W. 13 " "
79.58	To the post con of sec. 4, 5, 8 & 9.







T. No 8. N.R. No 1 W. and M. Ind.

West  
39.31 On the line between Dec 20 & 29. T. 8 N.R. 2 W.  
Set the timber post on the line for the cu of 1/2  
from which, 15 in dist. from. N 67 E. 10 lbs dist.  
made a Sugar. 5 " " No 3 W. 22 " "  
To the post cu of 1st. 19.20.29 & 30.

West  
40.00 Return Dec 19 130 T. 8 N.R. 1 W.  
Set a 1/4 sap post from which,  
Beck. 15 in dist. from. East 12 lbs dist. to  
N Oak. 18 " " " N 48 W. 10 " "  
To a River 10 lbs wide, corner D.  
84.00 Enter at the West Boundary 42 lbs South of the  
post cu of 1st. 24 & 25. T. 8. N.R. 2 W. and set a  
post " " " 19 130 from which,  
Sugar. 10 in dist. from. N 32 W. 3 lbs dist. to,  
No 8 " " " 27 W. 20 " "  
Sound the same.

North  
40.00 Return Dec 19 120 T. 8. N.R. 1 W.  
Set a 1/4 sap post from which,  
Sugar. 10 in dist. from. N 45 W. 8 lbs dist. to,  
No. 15 " " " N 44 E. 28 " "  
80.00 Set a post for the cu of 1st. 17.18.19 & 20 from which,  
Beck. 12 in dist. from. N 9 W. 46 lbs dist. to,  
No. 8 " " " N 43 E. 25 " "  
Sound the same.

East  
100 On a Random line between Dec 17 & 20 T. 8 N.R. 1 W.  
To a River 12 lbs wide, corner. D.  
40.00 Set a timber 1/4 sap post.  
12.00 To a River 20 lbs wide, corner D.W.  
78.40 Enter at the N 13 line 12 lbs North of the post  
cu of 1st. 16.17.20 & 21. Sound the same.

T. No 8. N.R. No 1 W. and M. Ind.

West  
39.20 On the line between Dec 17 & 20 T. 8 N.R. 1 W.  
Set the timber 1/4 sap post at the cu dist. on the line from  
from which, Beck. 30 in dist. from. N 47 E. 18 lbs dist.  
made a Sugar. " " " N 39 W. 19 " "  
To the cu of 1st. 17.18.19 & 20.

West  
40.00 Return Dec 18 & 19 T. 8. N.R. 1 W.  
Set a 1/4 sap post from which,  
Beck. 15 in dist. from. N 54 W. 11 lbs dist. to,  
No. 8 " " " N 42 E. 18 " "  
83.40 Enter at the West Boundary at the post cu of 1st. 13 & 14  
T. 8 N.R. 2 W. Sound the same.

North  
10.00 Return Dec 17 & 18 T. 8 N.R. 1 W.  
To a River 12 lbs wide, corner D.W.  
40.00 Set a 1/4 sap post from which,  
Sugar. 15 in dist. from. N 57 E. 11 lbs dist. to,  
Beck. 8 " " " N 33 W. 29 " "  
80.00 Set a post for the cu of 1st. 17.18.19 from which,  
Sugar. 8 in dist. from. N 49 W. 4 lbs dist. to,  
No. 4 " " " N 41 E. 18 " "  
Sound the same.

East  
40.00 On a Random line between Dec 8 & 17 T. 8 N.R. 1 W.  
Set a timber 1/4 sap post.  
79.30 Enter at the N 13 line 36 lbs South of the post cu  
of 1st. 8.9.16 & 17. Sound the same.

West  
39.65 On the line between Dec 8 & 17 T. 8 N.R. 2 W.  
Set the timber 1/4 sap post at the cu dist. on the line from  
from which, Sugar. 8 in dist. from. N 56 W. 14 lbs dist.  
made a No 5 " " " N 44 E. 18 " "  
To the post cu of 1st. 7.8.17 & 18.



West Return Sur. 7478 T. 8. S. R. 1 W.  
 30.00 To a Brook 15 lmb mid, Come S.  
 40.00 Set a post from whike,  
 Sugar. 10 in deer beam. S. E. 16 lmb dist, ta,  
 Hick. 10 " " " N. 34 W. 35 " "  
 70.00 To a Oak 15 in deer in the line.  
 81.71 Enter at the West Bound. 7 196 lmb South of  
 the post cor of lat 12+13 T. 8. S. R. 2 W. and  
 set a post from cor of lat 7+18 from whike,  
 Sugar. 15 in deer beam. S. E. 6 lmb dist, ta,  
 Logwood. 2 " " " N. 11 W. 5 " "  
 Land the same.

North Return Sur. 7478 T. 8. S. R. 1 W.  
 40.00 Set a post from whike,  
 Oak 18 in deer beam. N. 19 W. 16 lmb dist, ta,  
 Oak. 14 " " " N. 42 W. 11 " "  
 44.50 To a Brook 20 lmb mid, Come E.  
 80.00 Set a post from cor of lat 5, 6, 7+18 from whike,  
 Sugar. 12 in deer beam. N. 68 W. 25 lmb dist, ta,  
 Ho. 8 " " " S. 70 E. 10 " "  
 Land the same.

East On a Panam line between Sur. 548 T. 8. S. R. 2 W.  
 40.00 Set a post 1/2 m support of  
 79.71 Enter at the N. S. line 65 lmb North of the post  
 cor of Sur. 4. 5. 8+9 Land the same.

West On the same line between Sur. 548 T. 8. S. R. 1 W.  
 39.85 Set the support 1/2 m support at the ar dist in the line  
 from whike, Sugar. 15 in deer beam N. 24 W. 17 lmb dist,  
 and a N. 11 W. 30 " " " S. 70 E. 46 " "  
 79.71 To the post cor of lat 5, 6, 7+18,  
 Land the same.

West Return Sur. 617 T. 8. S. R. 1 W.  
 40.00 Set a post from whike,  
 Sugar. 8 in deer beam. S. 12 E. 21 lmb dist, ta,  
 Oak. 18 " " " N. 61 W. 40 " "  
 64.00 To a Brook 10 lmb mid, Come S. E.  
 81.70 Enter at the West Bound. 7 26 lmb North of the  
 post cor of lat 1+12 T. 8. S. R. 2 W. and set a post from  
 the " " " 617 from whike,  
 Hick. 10 in deer beam. S. 9 W. 17 lmb dist, ta,  
 Logwood. 3 " " " N. 35 E. 12 " "  
 Land the same.

North Return Sur. 546 T. 8. S. R. 2 W.  
 40.00 Set a post from whike,  
 Sugar. 5 in deer beam. S. 5 W. 15 lmb dist, ta,  
 Ho. 12 " " " N. 68 W. 13 " "  
 73.56 Enter at the N. R. Bound. 7 280 lmb East of the  
 post cor of lat 31+32 T. 9. S. R. 1 W. and set a post  
 " " " Lat. 5+6 from whike,  
 Sugar. 12 in deer beam. S. 85 W. 10 lmb dist, ta,  
 Oak. 5 " " " N. 72 E. 13 " "  
 Land the same.

Surveyed by  
 Arthur Henric.  
 Sept. 7 Sur.

Compd

I certify that the foregoing Transcript of the field  
 notes of Township N. 8. S. R. No 1 W. Quad. Min. Ind.  
 has been compared with the original notes of the  
 Office and found to be correct.  
 Surveyor General's Office  
 Cincinnati Oct 20 1841

Sur. Genl.